Chemistry 4631

Instrumental Analysis Lecture 28



High Performance Liquid Chromatography (HPLC) Instrumentation



High Performance Liquid Chromatography (HPLC) Instrumentation

Instrumentation

Solvent Delivery Systems - Mobile phase reservoirs

Typically glass

The solvent feed line – nonpermeable Teflon.

Mobile phases – are degassed (to minimize dissolved gases and bubbles in pump) and filtered ($0.22 - 0.45\mu$ m filter) immediately prior to use.

Sparging – bubbling a gas through the solvent such as N₂ or He (better less dissolved in solvent) reduces background absorbance for a U.V. detector and O₂ for a fluorescence detector.

Instrumentation

Solvent Delivery Systems

Isocratic - mobile phase is kept constant throughout the analysis. Delivers only one solvent system.

Gradient - capable of delivering more than one solvent during analysis.

Solvents can be blended by two different ways: High Pressure Mixing and Low Pressure Mixing

HPLC Instrumentation

Solvent Delivery Systems

Fig. 5.32. Advantages of a gradient separation. (a) Isocratic separation; (b) gradient separation; solid line is conductance and broken line is eluent ionic strength.

Instrumentation

Solvent Delivery Systems

High Pressure Mixing

Instrumentation

Solvent Delivery Systems

High Pressure Mixing

Use two isocratic pumps – one for each solvent. Fluid lines are joined with a mixing device or tee. Amount of each solvent is controlled by separate flow rates.

Works well for very small volumes - capillary.

Has poor precision at the extremes of flow rate ranges, i.e. early or late in the gradient programming.

Instrumentation

Solvent Delivery Systems

Low Pressure Mixing

Instrumentation

Solvent Delivery Systems

Low Pressure Mixing

Solvents are blended at atmospheric pressure.

Only need a single pump.

Small Teflon block has 4 proportioning valves to combine 4 solvents.

Instrumentation

Solvent Delivery Systems - Pumps

Primary Function -- to deliver the mobile phase through the system at a constant flow rate or constant pressure.

Since most HPLC column packings have small particle sizes (3-10μm) the backpressures are very high (6000 p.s.i.).

Precise flow rates are needed (<1% variation) since detectors are sensitive to pump pulsation.

Instrumentation

Solvent Delivery Systems - Pump Materials

Pump constructed of materials that are inert and chemically resistive.

Many mobile phases for HPLC are acidic or basic-(corrosive).

Most of the contact surface is constructed of 316 stainless steel (SS). SS is passivated in 6 M HNO₃ to resist leaching and chemical attack (exception HCI). SS – low cost, easy to machine, and sturdy.

Instrumentation

Solvent Delivery Systems - Pump Materials

Piston plungers are constructed from sapphire.

Ball, in the ball and seat check is made of ruby and the seat sapphire.

Plunger seals -- made from polymeric material of high molecular weight polyethylene or polypropylene or PTFE.

Chem 4631

Washers or spaces – KelF and ceramics

Instrumentation

Solvent Delivery Systems - Reciprocating HPLC pumps

Majority of pumps today use a piston to displace a solvent from small volume (50-250 μ l) chambers out of the pump.

Chem 4631

Most common is a dual head reciprocating piston pump.

Instrumentation

Solvent Delivery Systems - Reciprocating HPLC pumps

Instrumentation

Solvent Delivery Systems - Reciprocating HPLC pumps

The single-piston pump: (a) suction or fill cycle; (b) pressure or delivery cycle; (c) detail of pump seal.

Instrumentation

Solvent Delivery Systems - Reciprocating HPLC pumps

Pump head consists of two sets of moving parts: Check valves (Ball & Seat) and Seal-Piston assembly.

Cam and connecting rod transform the rotational movement of the motor into linear movement of the piston. Each stroke of the piston displaces a small volume of liquid from a chamber.

Instrumentation

Solvent Delivery Systems - Reciprocating HPLC pumps

For the fill stroke:

- The piston is withdrawn into the chamber.
- Inlet check (ball) valve rises from its seat since incoming solvent is at higher pressure than pressure inside the liquid chamber.
- Outlet check (ball) valve drops into its seat since pressure on column side is higher than that inside the pump head.

For the delivery stroke:

- Piston moves into liquid chamber and pressurizes the liquid.
- Inlet check valve closes since pressure inside chamber is greater than outside (solvent side).
- Outlet check valve opens when pressure inside the pump head exceeds the pressure on the column side.

HPLC Instrumentation

Solvent Delivery Systems - Reciprocating HPLC pumps

Check valves open alternatively.

The solvent flow from each of the pump heads combine to obtain a steady composite flow.

time

Instrumentation

Solvent Delivery Systems - Reciprocating HPLC pumps

Pump pulsations give baseline noise in the detector.
Often additional features are added to minimize pulsations.
Pulse dampers - (Noise Filters) – between pump and the injection.
Long lengths of very narrow tubing folding back on themselves many times.

Instrumentation

Sample Injection

Function – to introduce sample into flowing stream prior to the column.

Manual and automatic injections

Goal – minimize dispersion and broadening of peaks (sample injected as sharp plug).

Instrumentation

Sample Injection - Manual Injection Valve type injectors most widely used. Most common is six-port Valco or Rheodyne injector.

Instrumentation

Sample Injection - Manual Injection

Two positions – load and inject.

Load position – mobile phase bypasses the sample loop and flows directly into the column. Sample loop is filled with a microsyringe through the needle port.

Inject position – Mobile phase – backflushes the sample from the loop into the column.

Chem 4631

Sample loop size may be varied.

Precision is 0.05% to 0.1%.

Instrumentation

Sample Injection - Manual Injection

Instrumentation

Sample Injection - Automated Injection

Called autosamplers or autoinjectors

Function the same as the valve-operated manual injectors- except the sample is introduced from a vial held in a sample tray using a syringe assembly controlled by a stepping motor and the valves are automatically actuated.

HPLC Instrumentation

Columns

Scale		Chromatographic Objective			
Analytical Ir		Information [compound ID and concentration]			
Semi-preparative D		Data and a small amount of purified compound [< 0.5 gram]			
Preparative		Larger amounts of purified compound [> 0.5 gram]			
Process [Industria	al] M	anufacturing qua	ntities [grams to k	ilograms]	
Scale	1-8mm Column Diameter	10- 40mm Column Diameter	50-100mm Column Diameter	>100mm Column Diameter	Particle Size
Analytical	x				1.7 -10
Semi-Prep		x			5 - 15
Prep			х		15-100
Process				х	100+

HPLC Instrumentation

Columns

Instrumentation

Columns

Column tube and fittings must contain the chromatographic packing material [stationary phase] that is used to effect a separation.

- must withstand backpressure
- must provide a leak-free, minimum-volume, and zero-dead-volume flow path for the sample

Chem 4631

- must be chemically inert relative to the separation system

Instrumentation

Columns

Most columns are constructed of stainless steel for highest pressure resistance.

PEEK[™] [an engineered plastic] and glass, while less pressure tolerant, may be used when inert surfaces are required for special chemical or biological applications.

Instrumentation

Columns - Stationary Phases

Most HPLC packings are microparticles of varying size, shape, and porosity.

Silica packings are popular- can withstand high pressure, is abundant, and inexpensive. Functional groups can be bonded to the silica.

Disadvantage- unstable at high and low pH

Resin-based packings are being used more in HPLC columns.

Advantage – used over a wide range of pH Disadvantage – must be used at lower pressures than silica.

Instrumentation

Columns - Stationary Phases - Particle Types

Instrumentation

Columns - Stationary Phases - Particle Types

Totally porous particles (20-40 μm)

Long pores filled with stagnant mobile phase

These have relatively low efficiency and so are not used much.

Instrumentation

Columns - Stationary Phases - Particle Types

Totally porous microparticle (5-10 μm)

Fully porous materials that can be either irregular or spherical in shape.

Spherical materials have better stability at high pressures, larger sample volume capacity, and better detection sensitivity.

Have high efficiency and speed for trace analysis and large peak capacity.

Particles with small pores exhibit a high surface area and have greater retention.

Pore sizes are classified as a statistical distribution. A narrow distribution is preferred.

Instrumentation

Columns - Stationary Phases - Particle Types

Pellicular Particle(~20-40 µm)

Thin layer of adsorbent or stationary phase

Solid spherical bead with thin outer surface of stationary phase

Give higher efficiencies than porous particles of the same size but restricted to small sample loadings (low surface area).

Non-porous core

Instrumentation

Columns - Column Packing Methods Dry-fill procedure

For packing of rigid solids and resins with particle diameter > 20 μ m (pellicular materials)

Degrease and dry interior of tubing.

Place porous screen (~2 µm) in outlet fitting of column.

Add small amount of packing material into vertical column via a funnel.

Tap column to settle packing and repeat. Packing is leveled off and inlet fitting with screen is screwed onto column.

Chem 4631

Method works well for large porous particles or pellicular materials.

Instrumentation

Columns - Column Packing Methods Wet-fill or slurry Procedure

A suitable liquid is used to suspend particles.

Slurry is pumped under high pressure into empty column. When a constant flow rate is obtained, packing is complete.

Packing is leveled off and inlet fitting with screen added.

Solvent used must wet the packing thoroughly and maintain a uniform particle distribution.

Chem 4631

High surface energy materials, i.e. unfunctionalized silica, require polar solvents. Low surface energy materials, i.e. C₁₈, need less polar solvents.

Instrumentation

Columns – Column Performance

Column performance can be evaluated using the number of theoretical plates (N), peak asymmetry, capacity factor, selectivity, resolution of critical peak pair, etc...

Determination of N using a "test" compound is most widely used by manufacturers. Typical test compounds include pyridine, uracil and acenaphthene for C18 columns.

NH

Acenaphthene

Instrumentation

Columns – Column Care

Column care

- follow manufacturer recommendation for mobile phase pH, flow rates, organic modifier content, temperature, operating pressure.
- use only HPLC solvents
- use only HPLC water to prepare solvents, standards, and samples
- always filter and sparge mobile phases
- only alter mobile phase flow rates in small increments to avoid sudden backpressure

- use guard columns whenever possible***
- store columns in appropriate solvents (i.e. methanol for C18)

Assignment

- Read Chapter 28
- Homework Chapter 28: 2-12, & 15
- HW16 Chapter 28 Due 4/19/24